DISTRICT OF COLUMBIA, OFFICE OF CONTRACTING AND PROCUREMENT
DEPARTMENT OF BEHAVIORAL HEALTH
CONTRACTS AND PROCUREMENT SERVICES
64 NEW YORK AVENUE, NE 2ND FLOOR
WASHINGTON, DC 20002
TELEPHONE NUMBER: 202-671-3171; FAX NUMBER: 202-671-3194

August 10, 2016

REQUEST FOR QUOTE (RFQ) FOR DENTAL EQUIPMENT (CHAIR) SOLICITATION
RM-16-RFQ-104-BY0-MA SOLICITATION AMENDMENT NUMBER ONE (1)

Question No.	RFQ Section	Question/Comment
6	SECTION B.4	Schedule B Pricing Pages 4-8
DBH RESPONSE: **Contract Line Item Numbers (CLIN'S) 001 through 010 has been revised to reflect the following language "Brand Name and/or Equivalent. Please reference Schedule B Pricing Sheets Pages 4-8 Attachment directly after Amendment Number One (1).**		

THE DISTRICT SHALL FURNISH RESPONSES TO ANY QUESTIONS SUBMITTED IN WRITING TO ALL PROSPECTIVE OFFERORS BY ISSUING ANOTHER ADMENDMENT TO THIS SOLICITATION IF NECESSARY.

Signed:

/G.L/
George Lewis, CPPO
Chief Contracting Officer

Amendment Number One (1) is hereby acknowledged and is considered a part of the RFQ for Solicitation Number: **RM-16-RFQ-104-BY0-MA. All Correspondence or inquiries related to this Solicitation or any modifications shall be addressed to:**

Mr. George Lewis CPPO
Chief Contracting Officer
64 New York Avenue, NE – 2nd Floor
Washington, DC 20002
(202) 671-3188 Office; (202) 671-3194 Fax;
George.Lewis@dc.gov Email

_____ _____
Print or Type Name of Bidder Title of Authorized Representative

_____ _____
Signature of Authorized Representative Date

B.5: SCHEDULE B PRICING: SUPPLIES, SERVICES AND PRICE/COSTS (REVISED)

The Bidder MUST provide a Detailed Price Breakdown with a Budget Narrative that explains and reflects Total Price that is provided on the Schedule B Pricing Sheet.

LINE ITEM NO.: (CLIN)	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL PRICE
001	**492-7533 Mfr # ADEC 511 and/or Equivalent Dental Chair No Upholstery** • Range of lift height – 13.5")343 mm to 800 mm) • Recline range - +62 degrees to -12 degrees • Ultra-thin flexible backrest – 1" (25 mm), seamless • Chair swivel – 60 degrees (30 degrees each side of center) • Headrest – Dual-articulating and gliding (lever release) • Integrated 300-watt power supply – Yes • Touch Pad or Foot switch – Both optional (touchpad available on delivery systems) • Hydraulic lift system – Yes • Mounting capability – Radius-style (single or dual mounting) or floating – 2" Post Mount • Upholstery options – Sewn or seamless • Model capability – Capable with A-dec	1	Each		

	500, 400, 300 models. (Contact your authorized A-dec Representative for full Model compatibility).				
002	**492-7734 Mfr #ADEC 572 and/or Equivalent Dental Light** • A-dec 500/6300 Light Halogen 3-Axis • Rotational axes – Horizontal, vertical, diagonal • Color temperature – 5000K • Light pattern – 3.3" X 6.3" at 27.6" focal distance (85 mm X 160 mm at 700 mm) • Light intensity – Composite: 8.000 lux (743 fc) • Medium: 20.000 lux (1858 fc) • High: 24.000 lux 2230 fc) • BTU PER HOUR – 325 • Power Consumption – 95W • Auto On/Off – Yes • Mode Selection – Yes • Remote Touchpad – Yes • Local Control – Yes	1	Each		
003	**495-6689 ADEC and/or Equivalent Unit Mount Module, 300-511**	1	Each		
004	**492-4057 Mfr #ADEC and/or Equivalent Floor**	1	Each		

	box ASM, 511, W/O Utility				
005	**492-8685 Mfr #ADEC and/or Equivalent Power Supply, 300W 120V**	1	Each		
006	**492-8855 Mfr #ADEC 511 Set, Seamless**	1	Each		
007	**Mfr #BRWCUS 500-9290 3125B and/or Equivalent Doctor's Stool** • 3100 Series Modern Designed, Pneumatic stools created for ergonomic comfort • Contoured 18" X 18" seat cushion • 24" Powder-coated cast aluminum base • Dual adjustable lumbar backrest adds comfort	1	Each		
008	**Mfr #BRWCUS 550-0467 3145L and/or Equivalent Dental Assistant's Stool Left** • 3100 Series Modern Designed, Pneumatic stools created for ergonomic comfort • Contoured 18" X 18" seat cushion • 24" Powder-coated cast aluminum base • Dual adjustable lumbar backrest adds comfort	1	Each		
009	**Mfr #ARIBEX 844-1818 and/or Equivalent** • NOMAD Pro2 60kV X-Ray WHT – Handheld X-Ray System for Dental Applications • Works just as well with phosphor plates	1	Each		

	• Entire unity weights just slightly more than 5 pounds • Handheld and portable design moves from room to room eliminating need for multiple units • Perfect for use with children and special needs patients • Ideal for clinical, hospital, home-health, nursing home, and out-of-office use • Includes 1 year product warranty				
010	**Mfr #G8000 and/or Equivalent** • ScanX Swift - Dimensions 9.2" x 8.9" x 9.6" (DxWxH) • Weight 14.5lbs • Electrical 100 to 240VAC +/-10%; 50/60 Hz • Resolution: Up to 20 lp/mm (1000 dpi) Depending on scanning mode/pixel size selected • Theoretical Resolution: 40 lp/mm (200 dpi) • Laser: Class 1 Laser Product; Classification: Compliance with FDA 21 CFR 1040.10 and IEC 60825-1 • Imaging Medium: Single processing slots accept	1	Each		

	phosphor storage plates intraoral sizes 0, 1, 2, and 3 • Scanning Track/PSP Sizes: 1-Track • Package Includes: Installation disc' USB cable and power supply; 4 each of size 0 and 1, and 8 of size 2 PSP's; Barrier envelopes – 100 each of size 0 and 1, and 300 of size 2; Barrier film roll; 2 PSP wipes; 1 Scanner Cleaning Sheet.				
011	• **Installation**	1	Each		
012	• **Shipping/Freight**	1	Each		
					Not To Exceed

Print Name of Contractor

Title

Signature of Authorized Principal

Date

*****END OF SECTION B*****