

REQUEST FOR QUOTATION (THIS IS NOT AN ORDER)	THIS RFQ <input checked="" type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE	PAGE OF PAGES 1 7
---	--	------------------------

1. REQUEST NO. RM-16-RFQ-117-BY0TYM	2. DATE ISSUED 09/15/2016	3. REQUISITION/PURCHASE REQUEST NO. RQ927055/TBD	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
--	------------------------------	---	--	--------

5a. ISSUED BY Department of Behavioral Health (DBH)	6. DELIVER BY (Date) 09/30/2016
--	------------------------------------

5b. FOR INFORMATION CALL (NO COLLECT CALLS)		7. DELIVERY	
NAME Tonya Mills, Contract Specialist	TELEPHONE NUMBER	<input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
	AREA CODE: 202 NUMBER: 671-3178	9. DESTINATION	
8. TO:		a. NAME OF CONSIGNEE Saint Elizabeths Hospital	

a. NAME Tonya Mills	b. COMPANY DBH	b. STREET ADDRESS 110 Alabama Avenue, SE Loading Dock	
c. STREET ADDRESS 64 New York Avenue, 2nd FL		c. CITY Washington	
d. CITY Washington	e. STATE DC	f. ZIP CODE 20002	d. STATE e. ZIP CODE DC 20032

10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5a ON OR BEFORE CLOSE OF BUSINESS (Date) 09/20/2016	IMPORTANT: This is a request for information and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5a. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or service. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotation must be completed by the quoter.
---	--

11. SCHEDULE (Include applicable Federal, State and local taxes)

ITEM NO. (a)	SUPPLIES/ SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
001	SystemSURE Plus	5			0.00
002	Dandux Blue Hopper Front Bulk Truck 51-2460U	6			0.00
003	Kranzle Professional 2000 PSI (Electric -Cold Water) Pressure Washer w/Kranzle Pump	2			0.00
004	Power-Flite Stainless Steel Wet Dry Vacuum 20 Gal	12			0.00

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS
				NUMBER PERCENTAGE

NOTE: Additional provisions and representations are are not attached.

13. NAME AND ADDRESS OF QUOTER		14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION	15. DATE OF QUOTATION
a. NAME OF QUOTER		16. SIGNER a. NAME (Type or print) George G. Lewis, CPPO	b. TELEPHONE AREA CODE 202 NUMBER 671-3188
b. STREET ADDRESS			
c. COUNTY		c. TITLE (Type or print) Chief Contracting Officer	
d. CITY	e. STATE	f. ZIP CODE	

SECTION C

C.1 Scope of Work

The Government of the District of Columbia Department of Behavioral Health (DBH), Saint Elizabeth's Hospital (SEH) 1100 Alabama Avenue, SE Washington, DC 20032 is seeking housekeeping equipment for housekeeping department.

C.2 Specific Requirements:

The Contractor shall purchase, deliver the equipment for housekeeping department requested in this scope of work, or provide DBH approved equivalent products as directed by the Hospital.

C.2.1 **SystemSURE Plus (Brand Name or Approved Equal)**

- Extremely sensitive to low levels of contamination
- Advanced photodiode technology - Internal solid state detector is not affected by drops or shakes
- Storage:
 - 100 programmable test plans
 - 200 programmable user IDs
 - 251 programmable locations per test plan
 - 5,000 programmable test locations
- Small, lightweight, handheld instrument (0.57 lbs., 7 x 18. x 3 cm)
- Quick-test mode enables ad-hoc testing
- Large screen with back-light and optional **BOLD** text
- Powered by 2 x AA batteries for several months of uninterrupted use
- Connects to software via USB
- Removable read chamber design allows for easy cleaning
- Durable outside shell and sealed keypad to protect against splashes and wear
- Original one year warranty includes parts and labor
- No licensing fees
- Free version upgrades
- Quantity Five (5)

C.2.2 **Dandux Blue Hopper Front Bulk Truck 51-2460U (Brand Name or Approved Equal)**

48 Cu. Ft. Durable, seamless polyethylene bulk truck has strong, smooth walls. Truck base includes drain holes for easy cleaning. Convenient opening offers easy loading and unloading of goods. Rugged, rust resistant steel dolly base. Rolls easily on 6" rubber wheel casters (2 swivel, 2 rigid).

- Length inches - 48
- Width inches - 29-1/2
- Height inches - 67
- Capacity cubic feet - 48
- Color Finish - Blue

- Assembly - Assembled
- BRANDDandux | CR Daniels
- Construction - Plastic
- Inside Height inches - 60
- Inside Length inches - 47
- Inside Width inches - 27
- Manufacturer part number - 51-2460U
- Type - Bulk
- Wheel diameter inches – 6
- Wheel type - Rubber, 2 Swivel, 2 Rigid
- Quantity – Six (6) each

C.2.3 Kranzle Professional 2000 PSI (Electric-Cold Water) Pressure Washer w/ Kranzle Pump (Brand Name or Approved Equal)

- Model Number: K499TST
- Manufacturer: Kranzle
- Motor
- Motor Type: Induction
- Motor Voltage: 120-Volt Single-Phase
- Amps: 20 Amps
- Power Cord Length: 35 ft GFCI
- Pump
- Pump Brand: Kranzle
- Pump Type: Wobble
- Adjustable Pressure: Yes
- Chemical Injection: Siphon Tube
- Pump Consumer Warranty: 10 Years
- Housing
- Frame Type: 4-Wheel Frame
- Wheels: Plastic
- Hose
- Hose Storage: 50-Ft Reel
- Hose Length: 50 ft
- Hose Material: Wire Reinforced
- Hose Diameter: 1/4 Inch
- Hose Connections: Threaded
- Spray Gun
- Spray Gun Connection: Threaded
- Spray Gun Grade: Professional
- Spray Gun Wand: Single Wand
- Spray Tips: Other
- Turbo Nozzle: Included
- Overview
- Weight: 100 Lbs. (45.36 kilograms)
- Dimensions: 15L x 23W x 33H

- (38.10 x 58.42 x 83.82 cm)
- Mfr Consumer Warranty: 1 Year
- Mfr Commercial Warranty: 1 Year
- Quantity – 2 each

C.2.4 Power-Flite® Stainless Steel Wet Dry Vacuum 20 Gallon (Brand Name or Approved Equal)

Two stage filtration process with washable cloth filter. 18 gauge stainless steel for long life and durable polyethylene dolly with push handle for easy portability. Features an easy Tip and Pour waste water disposal. Includes swivel hose connector that allows 360 degree hose rotation. Sound insulated vacuum head. Set of tools include 14 rug, crevice, dust and squeegee. 30, L power cord.

- Capacity gallons – 20
- Assembly - Assembled
- Brand - Powr-Flite
- CFM - 195
- Cleaning width - 14
- Construction - Stainless Steel
- Description - Wet/Dry Vacuum
- Manufacturers part number - PF57
- Model - 239535
- Power cord length - 30 Ft.
- Water lift inches - 80"
- Weight lbs – 78
- Quantity – 12 each

C.2.5 DBH shall not agree to pay any price that is greater than that charged to the general public.

C.2.6 The Contractor shall, as needed, deliver all materials in good condition to the Saint Elizabeths Hospital in the manufacturer's original unopened containers that bear the name and brand of the manufacturer; and shall set up and test all materials on site at Saint Elizabeths Hospital to ensure that all materials are fully functioning.

C.2.7 The Contractor shall inspect all equipment delivery to determine any defects that might prevent normal wear of new material;

C.2.8 The entire Saint Elizabeths Hospital Campus is designated as a smoke and tobacco-free facility. Smoking is prohibited everywhere on the SEH Campus Grounds. The Contractor must ensure all work vehicles are labeled with Company's name on the outside of the vehicle. The Contractor must present appropriate State issued or Federal Government picture identification at the SEH Security Gate 5 prior to accessing the SEH Campus.

C.2.9 The Contractor shall, as needed, deliver all materials in good condition to Saint Elizabeths Hospital in the manufacturer's original unopened containers that bear the name and brand of the manufacturer.

C.3.0 Warranty and Maintenance Requirements

C.3.1 The Contractor shall provide the Department of Behavioral Health (DBH) with all manufactures' and extended warranties for all equipment in C.2 at the time of the completion of delivery, and installation.

C.3.2 Pursuant to 27 DCMR Section 4026.1 as it applies to DBH Contracts and Procurement, the Chief Contracting Officer (CO) shall ensure that each warranty in a District Contract clearly delineates the rights and obligation of the Contractor and the District for defective items and services and fosters quality performance.

The warranty shall provide the following:

- a) A Contractual right for the correction of defects, notwithstanding any other requirement of the Contract pertaining to acceptance of the supplies or service by the District; and
- b) A stated period of time or use, or the occurrence of a specified event, after acceptance by the District within which the District may assert a Contractual right for the correction of defects.

C.3.3 Warranty Terms and Conditions

The Contractor's obligations under a warranty shall extend to all defects discovered during the warranty period, but shall not include any damage caused solely by the District.

A warranty shall provide, at a minimum that the District may obtain an equitable adjustment of the Contract or direct the Contractor to repair or replace the defective item at the Contractor's expense.

If it is not practical to require the Contractor to make a repair or provide a replacement, or, because of the nature of the item, the repair or replacement does not afford an appropriate remedy to the District, the warranty may provide an alternative, such as allowing the District to do either of the following:

- a) Retain the defective item and reduce the Contract price by an amount equitable under the circumstances; or
- b) Arrange for the repair or replacement of the defective item be the District, or by another source, at the Contractor's expense.

The Chief Contracting Officer shall clearly specify the duration of the warranty after consideration of the following factors:

- a) The estimated useful life of the item;
- b) The nature of the item including storage or shelf-like; and
- c) Trade practice

The duration of the warranty shall not extend the Contractor's liability for patent defects beyond a reasonable time after acceptance by the District.

Each warranty shall specify a reasonable time for furnishing notice to the Contractor regarding the discovery of defects. The Director/Agency Chief Contracting Officer shall consider the following factors when establishing the notice period:

- a) Time necessary for the District to discover the defects;
- b) The time reasonably required for the District to take necessary administrative steps and make a timely report of discovery of the defects to the Contractor; and;
- c) The time required to discover and report defective replacements.

C.4.0 Saint Elizabeths Hospital Facilities Responsibility

C.4.1 SEH shall ensure that the Contractor has complete and obstruction-free access to all work areas, and that the areas below and adjacent to the work areas are obstruction free.

C.4.2 SEH shall make readily available all required electrical hookups in the specified areas.

C.4.3 SEH shall ensure that access shall be made available to all electrical and plumbing closets associated with this equipment.

C.4.4 SEH shall ensure that a member of the SEH Maintenance staff shall be readily available for assistance to the Contractor in the necessary operation of the buildings systems and work coordination should the need arise for the duration of these projects.

C.5.0 Hours and Access

Contractor shall provide contract services during the hours of 9:00 am – 4:00 pm Monday – Friday. Contractor shall not provide services during weekend, after hours or District Government observed holidays without written authorization from the Contracting Officer's Technical Representative (COTR)

C.6.0 Standard of Performance

The Contractor shall at all times, while acting in good faith and in the best interests of the DBH, use its best efforts and exercise all due care and sound business judgment in performing its duties under this contract. The Contractor shall at all times comply with DBH operations policies, procedures and directives while performing the duties specified in this contract.

C.7.0 Advertising and Publicity

Unless granted prior, express, written authority by the Chief Contracting Officer, the Contractor shall not issue or sponsor any advertising or publicity that states or implies, either directly or indirectly, that DBH endorses, recommends or prefers the Contractor's services; shall not use the DBH's logo in any fashion; or use or release information, photographs or other depictions obtained as a result of the performance of services under this contract, for publication, advertising or financial benefit.

C.8.0 Confidentiality

Contractor shall maintain the confidentiality and privacy of all identifying information concerning DBH clients in accordance with the confidentiality law, the privacy rule (the requirements and restrictions contained in 45 CFR part 160 and part 164, subparts A and E, as modified by any District of Columbia laws, including the Mental Health Information Act of 1978, that may have preemptive effect by operation of 45 CFR part 160, subpart B) and confidentiality provision(s) in this Contract.

D.1 Deliverables

The Contractors shall perform the activities required to successfully complete the District's requirements as specified in Section C of this Solicitation and submit each deliverable to the COTR identified in this document.

Deliverable	Quantity	Format/Method of Delivery	Projected Due Date and/or Frequency
Provide all warranties	2	Paper Copies	At the time of completion of all work.